



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel: (613) 632-5200
Fax: 613 632-5246

D5806-3

Job Sheet 207476



Part No: D5806-3

Job Qty: 4 pcs

Part Name: Spine



Part Weight: 0 lbs

Job Created: 2/26/20

Due Date: 3/27/20

Type: Stock

Note: URF 20-522 DWG 5806 REV.A IPP REV:A NEW ISSUE 20.31.01 JV VRF:DD

Ship Via:

POSITIVE RECALL

EFFECTIVE 2/23/12 AUTH Sdr

RELEASED DATE

Status: New

Priority: Medium

Job Tracking No:

Created By: Jennifer Renwick

Description:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
100	Large Fab - Basket - 1	4 pcs	3/27/20		0.00	0.27	Large Fab - 1		MAL
							Large Fab - 10		
							Large Fab - 2		
							Large Fab - 3		
							Large Fab - 4		
							Large Fab - 5		
							Large Fab - 6		
							Large Fab - 7		
							Large Fab - 8		
							Large Fab - 9		
							Large Fab - 11 (Various)		
							Large Fab - 12		
110	QC 5	4 pcs	3/27/20		0.00	0.00	QC 5 - 10		DAS 40 9-89
							QC 5 - 12		
							QC 5 - 17		
							QC 5 - 18		
							QC 5 - 19		
							QC 5 - 22		
							QC 5 - 24		
							QC 5 - 3		
							QC 5 - 43		
							QC 5 - 49		
							QC 5 - 51		
							QC 5 - 58		
							QC 5 - 60		
							QC 5 - 9		
							QC 5 - 50		
							QC 5 - 30		
							QC 5 - 40		
							QC 5 - 61		
							QC 5 - 81		



Container No: S264051



Part: D5806 - 3

Job No: 207476

Serial No/Batch: S264051

Revision: REV.A

Inspector:

Exp Date:

Instructions:

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL: 1 813 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Date: 03/17/20

Plex 3/11/20 3:51 PM Dart.Renwick.Jennifer

3/11/2020

[Dart Hawkesbury] Job Sheet - Renwick, Jennifer

120 Packaging 3-1 - Stock - B4B 4 pcs

3/27/20

0.00 0.00

Packaging 3 - 1 - B4B

Packaging 3 - 2 - B4B

Packaging 3 - 3 - B4B

Packaging 3 - 4 - B4B

Packaging 3 - 5 - B4B

Packaging 3 - 6 - B4B

Packaging 3 - 7 - B4B

Packaging 3 - 8 - B4B

Packaging 3 - 9 - B4B

Packaging 3 - 10 - B4B

Packaging 3 - 11 - B4B

Packaging 3 - 12 - B4B

Packaging 3 - 13 - B4B

Packaging 3 - 14 - B4B

Packaging 3 - 15 - B4B

Packaging 3 - 16 - B4B

Packaging 3 - 17 - B4B

Packaging 3 - 18 - B4B

Packaging 3 - 19 - B4B

Packaging 3 - 20 - B4B

Packaging 3 - 21 - B4B

Packaging 3 - 22 - B4B

Packaging 3 - 23 - B4B

Packaging 3 - 24 - B4B

Packaging 3 - 25 - B4B

Packaging 3 - 26 - B4B

Packaging 3 - 27 - B4B

Packaging 3 - 28 - B4B

Packaging 3 - 29 - B4B

Packaging 3 - 30 - B4B

Packaging 3 - 31 - B4B

Packaging 3 - 32 - B4B

Packaging 3 - 33 - B4B

Packaging 3 - 34 - B4B

Packaging 3 - 35 - B4B

Packaging 3 - 36 - B4B

Packaging 3 - 37 - B4B

130 QC 21 - SA

4 pcs

3/27/20

0.00 0.00

QC 21 - SA - 21

QC 21 - SA - 70

QC 21 - SA - 53

Part Op 100 - 1- Cut as per dwg 2- Debur

Descriptions: 110 - QC5- Inspect part completeness to step on W/O

120 - Identify as per dwg & Stock Location: *120-004*

130 - QC21- Final Inspection - Work Order Release

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
M4130NTS0.500W.035	4130 Square Tube .500 X .500 X .035W	5.9500 ft (1.4875 ea)	100-Large Fab - Basket - 1	<i>5260577</i>

Job Allocations


Operation	Component Part	Required	Inventory	Allocated
100-Large Fab - Basket - 1	M4130NTS0.500W.035	6	577	0

Part Specifications


Specifications could not be found.

Plex 3/11/20 3:51 PM Dart.Renwick.Jennifer


8 7 6 5 4 3 2 1




D5806-3 SPINE




D5806-5 SPINE



D5806-7 SPINE



D5806-9 SPINE



SECTION E-E

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 207476

UNDER REVIEW

URF 2020.522 20.02.14 (NO)

NOTES:



- 1) MATERIAL: AISI 4130N STEEL SQUARE TUBING, 1/2 X 0.035 WALL
PER MIL-T-6736 OR AMS 6371/6360/6361/6362/6373/6374
REF DART SPEC M4130N-TS0.500W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: -3: 0.31 lbs
-5: 0.32 lbs
-7: 0.32 lbs
-9: 0.31 lbs

RELEASED
2020 FEB 18 *NO*

APPROVED

DESIGN	ZF	DART AEROSPACE LTD	
DRAWN	ZF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	KPT	DRAWING NO.	REV. A
MFG. APPR.	DD	D5806	SHEET 5 OF 7
APPROVED	NO	TITLE	SCALE
DE APPR.	CP	MEDIUM BASKET BODY	NTS
DATE	20.01.17	COPYRIGHT © 2020 BY DART AEROSPACE LTD	
THIS DOCUMENT IS UNCLASSIFIED AND IS RELEASED ON THE CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR DISSEMINATED TO ANY OTHER PERSON WITHOUT WRITTEN APPROVAL FROM DART AEROSPACE LTD.			

8 7 6 5 4 3 2 1

		Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada Tel (613) 832-5200		PURCHASE ORDER POHB045883 	
Supplier: FAC001-YU Factory Steel 14020 Oakland Ave. Detroit, MI 48203 USA Phone: 313 883 6300 Fax: 313 883 4883		PO No: POHB045883 PO Date: 2/18/20 Due Date: 2/28/20 Purchase Order Revision: Revision Date: FEB 19 2020 Issued By: Lavoie, Chantal Phone: 613-823-5200 Ext: 242 Fax: 613-832-1053 clavoie@dartaero.com		Ship To: 1270 Aberdeen Street Hawkesbury ON K6A 1K7 Canada Phone: 613-832-5200	
		Via: Ground Print Terms: Net 30 Freight Terms: Special Comments:			

Items													
Line Item	Job	Part	Drawing	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
1		M4130NT30.500W.035			4130 Square Tube .500 X .500 X .035W MATERIAL: AISI 4130N STEEL TUBING AS PER MIL-T-6735 OR AMS 6371/6360/6361/6362 6373/6374 receive ft	Firmed		2/28/20	600 ft	0 ft	600 ft	\$6.49/ft	\$3,894.00
Grand Total:													\$3,894.00

Order Notes	
Procurement Quality Clauses A005 right of entry A012 chemical and physical test report A016 personnel qualification A017 raw material identification (as applicable). No Raw Metals from China or Soviet Bloc Countries. (DFARS) A026 certification of material conformance A041 quality management system A042 dart notification by supplier A043 retention of quality documents A048 counterfeit parts avoidance, detection, mitigation and disposition program. A049 supplier awareness.	
Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.	

Plex 2/19/20 2:52 PM Dart.Lavoie.Chantal

PACKING LIST

No. 67811

PG 1 OF 1

FACTORY STEEL & METAL SUPPLY
14020 OAKLAND AVENUE
DETROIT, MI 48203

(313)883-6300 PHONE
(313)883-4883 FAX

SOLD TO
DART AEROSPACE
1270 ABERDEEN STREET
HAWKESBURY, ON K6A 1K7

CUSTOMER PO
POH8045883
CUSTOMER JOB

SALES ORDER
60752

ORDER DATE
02/19/2020

SHIP TO
DART AEROSPACE
1270 ABERDEEN STREET
HAWKESBURY, ON K6A 1K7

BUYER
CHANTEL LAVOIE
Tel (613) 632-3336
Fax (613) 632-4443

SALES REP
MICK HALON

SHIP INST
CALL WHEN READY
PRO#

TERMS
NET 30 DAYS

SHIP DATE
02/21/2020

SHIP VIA
****TRUCK****

RESALE #
59-2958719

CARRIER
TRUCK

BLEND Y/N
N

FOB
DETROIT

LINE	QUANTITY	DESCRIPTION	WIDTH	LENGTH	WEIGHT		
1	611.667 FT	<p>PACK IN CARDBOARD TUBE</p> <p>4130N CD SHLSS SQ TUBE 1/2" X .035W N111-6736</p> <p>Tag N111 Ref # Heat</p> <p>154506 023914 25537</p> <p>MTRS (CIRCLE) FAX SHIPMENT INVOICE ALL</p> <p>DATE: INITIAL:</p>	Pcs Length 27 21'24" RL	21'24" RL	135.361	Feet 611.667	Weight 135.361
TOTAL WT		135 LBS					
RECEIVED BY SIGNATURE		RECEIVED BY PRINTED NAME			DATE RECEIVED		

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M4130 NT 50.520 W. 035 PO / BATCH NO.: P0480Y5803
 DATE: MAR 04 2020 5260577

MATERIAL CERT REC'D: YES
 QUANTITY RECEIVED: 611 FT
 QUANTITY INSPECTED: 611 FT
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .500 X .500 W. 035
 THICKNESS RECEIVED: .500 X .520 W. 035
 SHEET SIZE ORDERED: —
 SHEET SIZE RECEIVED: —

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/>	
CORRECT FINISH	<input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="checkbox"/> N	MIL-T-6736
CORRECT THICKNESS	<input checked="" type="checkbox"/> N	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/>	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> N	HIT 25537
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>—</u>	SIGNED OFF BY: <u>—</u>		
DATE: <u>MAR 04 2020</u>	DATE: <u>—</u>		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

LIME1

10413045883

M4130NTS0.500W.035



DESIGN PH	DRAWN BY PH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [initials]	APPROVED [initials]	DRAWING NO. M4130N-TS	REV. A SHEET 1 OF 1
DATE 05.02.09		TITLE 4130N SQUARE TUBING	SCALE NTS
A	05.02.09	NEW ISSUE	

PURCHASE MATERIAL:

AISI4130N STEEL SQUARE TUBING PER ONE OF
THE FOLLOWING SPEC'S: MIL-T-6736, AMS 6371,
6360, 6361, 6362, 6373 OR 6374

DAS
[initials]

PART NUMBER:

M4130N-TS|A.AAA|W|.ITT|

WHERE A.AAA = WIDTH IN INCHES
ITT = WALL THICKNESS IN INCHES

EXAMPLE: 0.50" X 0.035" WALL = M4130N-TS0.500W.035

05.03.05 [initials]

Copyright © 2005 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



PLYMOUTH TUBE CO.

1285 East 17th Street, Steubenville, OH 44224
Phone: (330) 673-1515 Fax: (330) 673-7343

TRUST YOUR SOURCE. ACCEPT NO SUBSTITUTES.

PRODUCT CERTIFICATION

SALES ORDER # LINE / RLS
179537 - 1 / 0

WORK ORDER 023914

HEAT NUMBER 25537

MELT SOURCE Totten Steel Melt/Mfg. USA

PCS/HEAT

DAS

0

SHIP TO

Factory Steel & Metal Supply C
14020 Oakland Avenue
Detroit, MI 48203
USA

CUSTOMER P.O.	CUSTOMER PART	QUANTITY	LADING NO	CERT ID / REV	CERT DATE								
3999	SQ-N12035												
PART DESCRIPTION SHSQ0500035J200 ***** Square OD ***** Side1: 0.5000 Max:0.5100 Min:0.4900 Side2: 0.5000 Max:0.5100 Min:0.4900 Wall: 0.0350 Max:0.0380 Min:0.0320 Length: 10.00 25.00 Spec: MIL-T 6736B Seamless Aircraft Grade: 430 Anneal: Cond N													
CERTIFICATION REQUIREMENTS FAR BAA (FAR 62.225-1 Buy America Act Supplies), DFARS 252.225-7001 Buy America Act & Bal. of Payments Program FAR TAA (FAR 62.225-6 Trade Agreement) and/or FAR 101-11.6 Buy American Act. This material was inspected by the raw material supplier in accordance to the requirements of ASTM A-459. The Grain size is determined and reported by the raw material supplier in accordance to ASTM E-112. This raw material was magnetic particle inspected by the raw material supplier in accordance to AMS 2840J and/or ASTM E-1444, and rated as Frequency, and Severity to AMS 2301, latest revision. Yield is determined by using the 0.2% offset method. Additional Specifications - AMS-T 6736B, 6360P & 6371L. Material produced in accordance to ASTM A-519-17. Jominy results: J(5/16")=38 J(8/16")=31.													
Chemical Analysis													
C	Mn	P	S	Si	Al	Cr	Mo	Ni	Pb	Cu	V	Ti	Sn
.30	.56	.008	.005	.29	.025	1.02	.20	.13	.000	.18	.009	.003	.009
Physical Properties													
Freq.	Severity	Grain Size											
.000	.000	7											
Mechanical Properties													
TEST	UNITS	#TESTS	HIGH	LOW	AVERAGE	STD-DEV							
Tensile	Psi	6	121110	115340	115173	2536							
Yield	Psi	6	115370	109700	112525	2436							
Elongation	%	6	17	17	17	0							
Rockwell C	Rc	6	22	22	22	0							
TEST	RESULT												
Decarb/OD	Pass												
Total ID/OD decarb	Pass												

I certify that the results are a true and correct copy of the records prepared and maintained by Plymouth Tube Company, Steubenville in compliance with the requirements of the cited specification. Chemistry is as reported by the Steel supplier. This test report cannot be reproduced or distributed except in full without the written permission of Plymouth Tube.

James H. Hensel
Quality Assurance



1200 East 12th Street, St. Clair, MI 48084
Phone: (810) 678-1915 Fax: (810) 672-7543

TRUST YOUR SOURCE. ACCEPT NO SUBSTITUTIONS.

PRODUCT CERTIFICATION

SALES ORDER - LINE / RLS

179507-1 / 0

SHIP TO

Factory Steel & Metal Supply C
14020 Oakland Avenue
Detroit, MI 48203
USA

WORK ORDER 020041

PCS/HEAT 0

HEAT NUMBER 25537

MELT SOURCE Harsco Steel - Melt/Mfg. USA

CUSTOMER P.O. 3999	CUSTOMER PART SQ-N12035	QUANTITY	LADING NO	CERT ID / REV /	CERT DATE
PART DESCRIPTION SHSQ0600035J200					
Additional Specification(s)					
TEST Brinell	UNITS Brinell	TESTS 5	HIGH 251	LOW 197	AVERAGE 226
					STD-DEV 27
<p>This test report data is for the Heat Chemistry Stated above.</p> <p>The material in this test report is:</p> <ol style="list-style-type: none"> 1) Drawn in the USA 2) Free from Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Mercury contamination. 3) NAFTA compliant. <p>End of Certification</p>					

DAS
9-89

I certify that the results are a true and correct copy of the records prepared and maintained by Plymouth Tube Company, Streater in compliance with the requirements of the cited specification. Chemistry is as reported by the Steel supplier. This test report cannot be reproduced or distributed except in full without the written permission of Plymouth Tube.

Janice Demersoff
Quality Assurance

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/>	DEPARTMENT/PROCESS <div style="display: flex; justify-content: space-between;"> <div> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Large Fab <input type="checkbox"/> </div> <div> Cross tube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> </div> <div> Eng. (Non-AW) <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> </div> <div> Engineering <input type="checkbox"/> Water Jet <input type="checkbox"/> Supplier <input type="checkbox"/> Quality <input type="checkbox"/> </div> </div>			
Date : _____	Sequence #: _____	QTY Affected : _____		MRB (QSI042) <div style="border: 1px solid black; height: 150px; margin-top: 10px;"> <p style="text-align: center; margin-top: 10px;">Completed By</p> <p style="text-align: center; margin-top: 20px;">Lead hand / Supervisor</p> <p style="text-align: center; margin-top: 20px;">QC / QA Coordinator</p> </div>	
Description Work Order Deviation		Disposition			
Root Cause <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div>Operator <input type="checkbox"/></div> <div>Manufacturing Process <input type="checkbox"/></div> <div>Equip/Tooling <input type="checkbox"/></div> <div>Handling/Presservation <input type="checkbox"/></div> <div>Material <input type="checkbox"/></div> <div>Product Improvement <input type="checkbox"/></div> <div>Process Improvement <input type="checkbox"/></div> <div>Human Factors <input type="checkbox"/></div> </div>		FAULT CATEGORY <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"> <input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Bending <input type="checkbox"/> Crushing <input type="checkbox"/> Cracks <input type="checkbox"/> Crimp/Kink/Ripple/Wave/Twist <input type="checkbox"/> Marks/Chatter <input type="checkbox"/> Mislabeled </div> <div style="width: 50%;"> <input type="checkbox"/> Contamination <input type="checkbox"/> Misaligned/off center <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damage/Defect <input type="checkbox"/> Incomplete/Unclear Instructions <input type="checkbox"/> Drill Holes <input type="checkbox"/> Fit/Function </div> <div style="width: 50%;"> <input type="checkbox"/> Power Loss/Surge <input type="checkbox"/> Folio/Program <input type="checkbox"/> Grain Direction <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Off-set/Set-up </div> <div style="width: 50%;"> <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Outside Tolerance <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Misread </div> </div>			
		Other/Details:			